Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-29 (canceled)

30. (currently amended) A method for producing a high-molecular <u>weight</u> flocculant comprising <u>the step of</u>:

hydrolyzing hydrolysing a high-molecular weight polymeric material containing having at least one cyano groups to thereby converting at least a portion of the said at least one cyano groups into at least one carbamoyl groups.

- 31. (currently amended) The method for producing a high-molecular flocculant as claimed in according to claim 30 wherein said hydrolysis is carried out in one step hydrolyzing step occurs in the presence of an acidic catalyst.
- 32. (currently amended) The method for producing a high molecular flocculant as claimed in according to claim 30, wherein said hydrolysis hydrolyzing step further comprises the steps of is carried out in two steps, namely a first step (a) employing an acidic catalyst; and a second step of (b) employing a basic catalyst, and wherein, in said second step, a further portion of the said at least one carbamoyl groups is converted into at least one carboxylic groups or salts thereof.

Atty Docket No. 09792909.5873

Express Mail No. EL 716465227 US

33. (currently amended) The high-molecular flocculant as claimed in method according to claim 30 wherein a said high-molecular weight polymeric material containing comprises acrylonitrile as a monomer unit is used as the high-molecular material.

34. (currently amended) The high-molecular flocculant as claimed in method according to claim 33 30 wherein said polymeric material is selected from the group consisting at least one selected from the group of acrylic fibers, nitrite resing, styrene-acrylonitrile resing, acrylonitrile-butadiene-styrene resing, acrylonitrile-styrene-acrylic resing, acrylonitrile-chlorinated polyethylene-styrene resing, nitrite rubberg and acrylonitrile-butadiene rubberg is used as said high-molecular material.

35. (currently amended) The high-molecular flocculant as claimed in method according to claim 30 wherein a high-molecular said polymeric material containing comprises at least one cyano group wherein said at least one cyano group comprises not less than 15 mol % of the total monomer units present in said polymeric material is used as said high molecular material.

Claims 36-39 (canceled)